Index

IEE Proceedings Part B
Electric Power Applications
Vol. 134, 1987

ABBREVIATIONS

- p paper, address or lecture
- d discussion on a paper
- a abstract of paper or address
- e errata

Author index

A

Abdel-Halim, M.A., and Manning, C.D. Modelling saturation of laminated salient-pole synchronous machines p215
Abdel-Magied, M.A.S., and Williamson, S. see Williamson, S.
Acarnley, P.P., and Gibbons, P. Closed-loop control of steeping motors: prediction and realisation of optimum switching angle d192
Alexa, D. Static frequency convertor for supplying an asynchronous two-phase motor p57
Ali, S.A.M., Binns, D.F., and Williams, K.T. see Binns, D.F.
Amrani, M., Hesmondhalgh, D.E., and Tipping, D. see Hesmondhalgh, D.E.

B

Barreto, A.N., and Watanabe, C.H. see Watanabe, C.H.
Belmans, R., Vandenput, A., and Geysen, W. Influence of unbalanced magnetic pull on the radial stability of flexible-shaft induction machines p101
Binns, D.F. Comparative costs of energy losses in induction motors p177
Binns, D.F., Williams, K.T., and Ali, S.A.M. Costing energy savings for a dual-mode motor p42
Bins, K.J. Editorial. 3rd International Conference on Electrical machines and drives p285
Boldea, I., and Nasar, S.A. Unified treatment of core losses and saturation in the orthogonal-axis model of electric machines p355
Bowes, S.R., and Bullough, R.I. Harmonic minimisation in microprocessor controlled current fed PWM inverter drives p25
Bradford, P., Cooper, B., Sherhod, D., Linton, R., Humphrey, A., and Clayton, P. see Cooper, B.
Brunet, Y., Sabrie, J.L., and Tixador, P. Electrical design of air-cored synchronous generators using superconducting field and armature windings p47
Bullough, R.I., and Bowes, S.R. see Bowes, S.R.

C

Chalmers, B.J., and Hamed, S.A. see Hamed, S.A.
Chan, C.C. Single-phase switched reluctance motors p53
Chappell, P.H. Winding current in a switched reluctance motor p277
Clayton, P., Cooper, B., Sherhod, D., Bradford, P., Linton, R., and Humphrey, A. see Cooper, B.
Close, P.R., and Evans, P.D. see Evans, P.D.
Cooper, B., Sherhod, D., Bradford, P., Linton, R., Humphrey, A., and Clayton, P. New ticketing system for the London Underground p119
Cribbens, A.H. Solid-state interlocking (SSI): an integrated electronic signalling system for main-line railways p148

E

Enslin, N.C., and van der Merwe, F.S. Improving the open-loop torque step response of induction motors p317
Evans, P.D., and Close, P.R. Harmonic distortion in PWM inverter output waveforms p224

G

Geysen, W., Belmans, R., and Vandenput, A. see Belmans, R.
Gibbons, P., and Acarnley, P.P. see Acarnley, P.P.
Gieras, J.F., and Hippner, M. Calculation of magnetic field and forces in electromagnetic devices for separation of steel sheets p110 e175

H

Halsall, C.L. Closed-loop control of stepping motors: prediction and realisation of optimum switching angle d192
Hamed, S.A., and Chalmers, B.J. New method of analysis and performance prediction for thyristor voltage-controlled *RL* loads p339
Hesmondhalgh, D.E., Tipping, D., and Amrani, M. Design and construction of a high-speed high-performance direct-drive handpiece p286
Hesmondhalgh, D.E., and Tipping, D. Relating instability in synchronous motors to steady-state theory using the Hurwitz-Routh criterion p79
Hippner, M., and Gieras, J.F. see Gieras, J.F.
Hirasa, T., Taniguchi, K., and Takeda, Y. see Taniguchi, K.
Holtz, J., Pavithran, K.N., Parimelalagan, R., and Sridhara Rao, G. see Pavithran, K.N.
Hughes, A., and Pulle, D.W.J. see Pulle, D.W.J.
Humphrey, A., Cooper, B., Sherhod, D., Bradford, P., Linton, R., and Clayton, P. see Cooper, B.

J

Jackson, R.D., and Pong, M.H. see Pong, M.H.

K

Karvinen, J. Three-phase AC traction drives: design and service experience p135
Kemp, R.J. Docklands Light Railway p127
Kemp, R.J. Introduction of chopper controlled trains on established DC railways p141
Knight, A.C., and Uebel, H. see Uebel, H.
Kriezis, E.E., and Zervas, M.N. see Zervas, M.N.
Kropacz, W.S., and Mikolajuk, K. see Mikolajuk, K.

L

Lancaster, J.F. The physics of fusion welding. Part 1: The electric arc in welding (Commissioned IEE review) p233
Lancaster, J.F. The physics of fusion welding. Part 2: Mass transfer and heat flow (Commissioned IEE review) p297
Linton, R., Cooper, B., Sherhod, D., Bradford, P., Humphrey, A., and Clayton, P. see Cooper, B.
Lloyd, M.R., and Williamson, S. see Williamson, S.
Lucas, W., and Murch, M.G. Arc reignition characteristics when welding with sine-wave and square-wave power supplies p348

M

Manias, S., Prasad, A.R., and Ziogas, P.D. Three-phase inductor fed SMR convertor with high frequency isolation, high power density and improved power factor p183
Manias, S., Ziogas, P.D., and Olivier, G. Bilateral DC to AC convertor using a high frequency link p15
Manning, C.D., and Abdel-Halim, M.A. see Abdel-Halim, M.A.
van der Merwe, F.S., and Enslin, N.C. see Enslin, N.C.
Mellitt, B. Editorial: Railway engineering — the systems approach p117
Mikolajuk, K., and Kropacz, W.S. New approach to the design of thyristor and transistor switching circuits p61
Miyake, H., and Yokozuka, T. see Yokozuka, T.
Müller-Hellmann, A., van Wyk, J.D., and Skudelny, H.-Ch. see van Wyk, J.D.
Murch, M.G., and Lucas, W. see Lucas, W.

N

Nasar, S.A., and Boldea, I. see Boldea, I.

O

Olivier, G., Manias, S., and Ziogas, P.D. see Manias, S.

P

Parimelalagan, R., Pavithran, K.N., Sridhara Rao, G., and Holtz, J. see Pavithran, K.N.
Pavithran, K.N., Parimelalagan, R., Sridhara Rao, G., and Holtz, J. Optimum design of an induction motor for operation with current source inverters p1 e114
Pickup, I.E.D., and Russell, A.P. Dynamic instability in permanent-magnet synchronous/stepping motors p91
Pong, M.H., and Jackson, R.D. Computer-aided design of power transistor inverter snubber circuits p69
Prasad, A.R., Manias, S., and Ziogas, P.D. see Manias, S.
Pulle, D.W.J., and Hughes, A. Normalised high-speed performance analysis of small hybrid stepping motors p333

R

Rajaraman, K.C., Ranjith Perera, W., and Subramaniam, G. New wide-ratio pole-changing motors p211
Ranjith Perera, W., Rajaraman, K.C., and Subramaniam, G. see Rajaraman, K.C.
Retiveau, R. Evolution of automatic devices in conjunction with signalling on the SNCF p159 e232
Rodriguez, J. High performance DC motor drive using a PWM rectifier with power transistors p9
Russell, A.P., and Pickup, I.E.D. see Pickup, I.E.D.

S

Sabrie, J.L., Brunet, Y., and Tixador, P. see Brunet, Y.
Sherhod, D., Cooper, B., Bradford, P., Linton, R., Humphrey, A., and Clayton, P. see Cooper, B.
Skudelny, H.-Ch., van Wyk, J.D., and Müller-Hellmann, A. see van Wyk, J.D.
Sridhara Rao, G., Pavithran, K.N., Parimelalagan, R., and Holtz, J. see Pavithran, K.N.
Stepina, J. Matrix analysis of space harmonics of asymmetrical stator windings p207
Subrahmanyam, V., and Surendran, K. On the stability of a static slip energy recovery drive p364
Subramaniam, G., Rajaraman, K.C., and Ranjith Perera, W. see Rajaraman, K.C.
Surendran, K., and Subrahmanyam, V. see Subrahmanyam, V.

T

Takeda, Y., Taniguchi, K., and Hirasa, T. see Taniguchi, K.
Taniguchi, K., Takeda, Y., and Hirasa, T. High-performance slip-power recovery induction motor p193
Tipping, D., Hesmondhalgh, D.E., and Amrani, M. see Hesmondhalgh, D.E.
Tipping, D., and Hesmondhalgh, D.E. see Hesmondhalgh, D.E.
Tixador, P., Brunet, Y., and Sabrie, J.L. see Brunet, Y.

U

Uebel, H., and Knight, A.C. New German developments in the field of train detection p167

V

Vandenput, A., Belmans, R., and Geysen, W. see Belmans, R.

W

Watanabe, C.H., and Barreto, A.N. Self-excited induction generator/force-commutated rectifier system operating as a DC power supply p255 e354

Williams, K.T., Binns, D.F., and Ali, S.A.M. see Binns, D.F.
Williamson, S., and Abdel-Magied, M.A.S. Steady-state analysis of double-cage induction motors with rotor-cage faults p199
Williamson, S., and Lloyd, M.R. Cage rotor heating at standstill p325
van Wyk, J.D., Skudelny, H.-Ch., and Müller-Hellmann, A. Power electronics, control of the electromechanical energy conversion process and some applications e175

Y

Yokozuka, T., and Miyake, H. Characteristics of 2-winding capacitor motors with tapped auxiliary windings p261

Z

Zervas, M.N., and Kriezis, E.E. Integral formulation for the calculation of the field and the forces in a system of conducting cylindrical shells: a general approach p269
Ziogas, P.D., Manias, S., and Olivier, G. see Manias, S.
Ziogas, P.D., Manias, S., and Prasad, A.R. see Manias, S.

Book reviews

Dictionary of power engineering and automation. Vol. 1: German/English and Vol. 2: English/German p133
Power electronic convertors: AC/DC conversion G. Sequier p134

Conference reports

IEE Colloquium on Electricity in nonferrous industries K. Godfrey p119

IEE commissioned reviews

Lancaster, J.F. The physics of fusion welding. Part 1: The electric arc in welding p233
Lancaster, J.F. The physics of fusion welding. Part 2: Mass transfer and heat flow p297

Conference publications

264 Second International Conference on Power electronics and variable-speed drives p13
272 First International Conference on Industrial power engineering p8
279 Electric railway systems for a new century p323

Subject index

ARCING

Arc reignition characteristics when welding with sine-wave and square-wave power supplies. W. Lucas and M.G. Murch p348
The physics of fusion welding. Part 1: The electric arc in welding. J.F. Lancaster p233
The physics of fusion welding. Part 2: Mass transfer and heat flow. J.F. Lancaster p297

CHOPPERS

High-performance slip-power recovery induction motor. K. Taniguchi, Y. Takeda and T. Hirasa p193
Introduction of chopper controlled trains on established DC railways. R.J. Kemp p141

COMPUTER APPLICATIONS

Docklands Light Railway. R.J. Kemp p127
Evolution of automatic devices in conjunction with signalling on the SNCF. R. Retiveau p159 e232
New ticketing system for the London Underground. B. Cooper, D. Sherhod, P. Bradford, R. Linton, A. Humphrey and P. Clayton p119

COMPUTER-AIDED DESIGN

Computer-aided design of power transistor inverter snubber circuits. M.H. Pong and R.D. Jackson p69

CONDUCTORS AND CONDUCTIVITY

Integral formulation for the calculation of the field and the forces in a system of conducting cylindrical shells: a general approach. M.N. Zervas and E.E. Kriezis p269

CONTROL EQUIPMENT AND APPLICATIONS

Closed-loop control of steeping motors: prediction and realisation of optimum switching angle. P.P. Acarnley and P. Gibbons d192
Harmonic minimisation in microprocessor controlled current fed PWM inverter drives. S.R. Bowes and R.I. Bullough p25
Introduction of chopper controlled trains on established DC railways. R.J. Kemp p141

CONTROL SYSTEMS

Evolution of automatic devices in conjunction with signalling on the SNCF. R. Retiveau p159 e232

CONVERTORS

Bilateral DC to AC convertor using a high frequency link. S. Manias, P.D. Ziogas and G. Olivier p15
Power electronics, control of the electromechanical energy conversion process and some applications. J.D. van Wyk, H.-Ch. Skudelny and A. Müller-Hellmann e175
Static frequency convertor for supplying an asynchronous two-phase motor. D. Alexa p57
Three-phase inductor fed SMR convertor with high frequency isolation, high power density and improved power factor. S. Manias, A.R. Prasad and P.D. Ziogas p183

DESIGN

Design and construction of a high-speed high-performance direct-drive handpiece. D.E. Hesmondhalgh, D. Tipping and M. Amrani p286
Electrical design of air-cored synchronous generators using superconducting field and armature windings. Y. Brunet, J.L. Sabrie and P. Tixador p47
Optimum design of an induction motor for operation with current source inverters. K.N. Pavithran, R. Parimelalagan, G. Sridhara Rao and J. Holtz p1 e114
Single-phase switched reluctance motors. C.C. Chan p53

DETECTION

New German developments in the field of train detection. H. Uebel and A.C. Knight p167
Solid-state interlocking (SSI): an integrated electronic signalling system for mainline railways. A.H. Cribbens p148

ELECTRICAL MACHINES

Characteristics of 2-winding capacitor motors with tapped auxiliary windings. T. Yokozuka and H. Miyake p261
Influence of unbalanced magnetic pull on the radial stability of flexible-shaft induction machines. R. Belmans, A. Vandenput and W. Geysen p101
Matrix analysis of space harmonics of asymmetrical stator windings. J. Stepina p207
Modelling saturation of laminated salient-pole synchronous machines. M.A. Abdel-Halim and C.D. Manning p215
New wide-ratio pole-changing motors. K.C. Rajaraman, W. Ranjith Perera and G. Subramaniam p211
Power electronics, control of the electromechanical energy conversion process and some applications. J.D. van Wyk, H.-Ch. Skudelny and A. Müller-Hellmann e175
Self-excited induction generator/force-commutated rectifier system operating as a DC power supply. C.H. Watanabe and A.N. Barreto p255 e354
Unified treatment of core losses and saturation in the orthogonal-axis model of electric machines. I. Boldea and S.A. Nasar p355

ELECTROMAGNETIC THEORY

Integral formulation for the calculation of the field and the forces in a system of conducting cylindrical shells: a general approach. M.N. Zervas and E.E. Kriezis p269

ELECTRONIC CIRCUITS

Solid-state interlocking (SSI): an integrated electronic signalling system for mainline railways. A.H. Cribbens p148

ENERGY CONVERSION AND STORAGE

Power electronics, control of the electromechanical energy conversion process and some applications. J.D. van Wyk, H.-Ch. Skudelny and A. Müller-Hellmann e175

FAULT DETECTION

Steady-state analysis of double-cage induction motors with rotor-cage faults. S. Williamson and M.A.S. Abdel-Magied p199

FINANCIAL MANAGEMENT

Comparative costs of energy losses in induction motors. D.F. Binns p177

GENERATORS

Self-excited induction generator/force-commutated rectifier system operating as a DC power supply. C.H. Watanabe and A.N. Barreto p255 e354

INDUCTION MOTORS

Cage rotor heating at standstill. S. Williamson and M.R. Lloyd p325
Comparative costs of energy losses in induction motors. D.F. Binns p177
Costing energy savings for a dual-mode motor. D.F. Binns, K.T. Williams and S.A.M. Ali p42
High-performance slip-power recovery induction motor. K. Taniguchi, Y. Takeda and T. Hirasa p193
Improving the open-loop torque step response of induction motors. N.C. Enslin and F.S. van der Merwe p317
Influence of unbalanced magnetic pull on the radial stability of flexible-shaft induction machines. R. Belmans, A. Vandenput and W. Geysen p101
On the stability of a static slip energy recovery drive. V. Subrahmanyam and K. Surendran p364
Optimum design of an induction motor for operation with current source inverters. K.N. Pavithran, R. Parimelalagan, G. Sridhara Rao and J. Holtz p1 e114
Steady-state analysis of double-cage induction motors with rotor-cage faults. S. Williamson and M.A.S. Abdel-Magied p199
Three-phase AC traction drives: design and service experience. J. Karvinen p135

INDUSTRIAL APPLICATIONS OF POWER

Arc reignition characteristics when welding with sine-wave and square-wave power supplies. W. Lucas and M.G. Murch p348
Calculation of magnetic field and forces in electromagnetic devices for separation of steel sheets. J.F. Gieras and M. Hippner p110 e175
The physics of fusion welding. Part 1: The electric arc in welding. J.F. Lancaster p233
The physics of fusion welding. Part 2: Mass transfer and heat flow. J.F. Lancaster p297

INTERFERENCE

Introduction of chopper controlled trains on established DC railways. R.J. Kemp p141

INVERTERS

Computer-aided design of power transistor inverter snubber circuits. M.H. Pong and R.D. Jackson p69
Harmonic distortion in PWM inverter output waveforms. P.D. Evans and P.R. Close p224
Harmonic minimisation in microprocessor controlled current fed PWM inverter drives. S.R. Bowes and R.I. Bullough p25
Optimum design of an induction motor for operation with current source inverters. K.N. Pavithran, R. Parimelalagan, G. Sridhara Rao and J. Holtz p1 e114
Static frequency convertor for supplying an asynchronous two-phase motor. D. Alexa p57
Three-phase AC traction drives: design and service experience. J. Karvinen p135

MAGNETIC DEVICES AND PROPERTIES

Calculation of magnetic field and forces in electromagnetic devices for separation of steel sheets. J.F. Gieras and M. Hippner p110 e175

MAGNETIC FIELDS

Calculation of magnetic field and forces in electromagnetic devices for separation of steel sheets. J.F. Gieras and M. Hippner p110 e175
Matrix analysis of space harmonics of asymmetrical stator windings. J. Stepina p207

MATHEMATICAL TECHNIQUES

Integral formulation for the calculation of the field and the forces in a system of conducting cylindrical shells: a general approach. M.N. Zervas and E.E. Kriezis p269
Matrix analysis of space harmonics of asymmetrical stator windings. J. Stepina p207
Normalised high-speed performance analysis of small hybrid stepping motors. D.W.J. Pulle and A. Hughes p333

MATRIX ALGEBRA

Matrix analysis of space harmonics of asymmetrical stator windings. J. Stepina p207

MICROPROCESSORS

Harmonic minimisation in microprocessor controlled current fed PWM inverter drives. S.R. Bowes and R.I. Bullough p25

MODELLING

Modelling saturation of laminated salient-pole synchronous machines. M.A. Abdel-Halim and C.D. Manning p215

Unified treatment of core losses and saturation in the orthogonal-axis model of electric machines. I. Boldea and S.A. Nasar p355
Winding current in a switched reluctance motor. P.H. Chappell p277

MODULATION

Harmonic distortion in PWM inverter output waveforms. P.D. Evans and P.R. Close p224
Harmonic minimisation in microprocessor controlled current fed PWM inverter drives. S.R. Bowes and R.I. Bullough p25
High performance DC motor drive using a PWM rectifier with power transistors. J. Rodriguez p9

MONITORING

New German developments in the field of train detection. H. Uebel and A.C. Knight p167
Steady-state analysis of double-cage induction motors with rotor-cage faults. S. Williamson and M.A.S. Abdel-Magied p199

MOTORS

Characteristics of 2-winding capacitor motors with tapped auxiliary windings. T. Yokozuka and H. Miyake p261
Costing energy savings for a dual-mode motor. D.F. Binns, K.T. Williams and S.A.M. Ali p42
High performance DC motor drive using a PWM rectifier with power transistors. J. Rodriguez p9
New wide-ratio pole-changing motors. K.C. Rajaraman, W. Ranjith Perera and G. Subramaniam p211
Optimum design of an induction motor for operation with current source inverters. K.N. Pavithran, R. Parimelalagan, G. Sridhara Rao and J. Holtz p1 e114
Static frequency convertor for supplying an asynchronous two-phase motor. D. Alexa p57

MOTORS, INDUCTION

Cage rotor heating at standstill. S. Williamson and M.R. Lloyd p325
Comparative costs of energy losses in induction motors. D.F. Binns p177
Costing energy savings for a dual-mode motor. D.F. Binns, K.T. Williams and S.A.M. Ali p42
High-performance slip-power recovery induction motor. K. Taniguchi, Y. Takeda and T. Hirasa p193
Improving the open-loop torque step response of induction motors. N.C. Enslin and F.S. van der Merwe p317
On the stability of a static slip energy recovery drive. V. Subrahmanyam and K. Surendran p364
Steady-state analysis of double-cage induction motors with rotor-cage faults. S. Williamson and M.A.S. Abdel-Magied p199

MOTORS, RELUCTANCE

Single-phase switched reluctance motors. C.C. Chan p53
Winding current in a switched reluctance motor. P.H. Chappell p277

MOTORS, STEPPING

Normalised high-speed performance analysis of small hybrid stepping motors. D.W.J. Pulle and A. Hughes p333

MOTORS, SYNCHRONOUS

Design and construction of a high-speed high-performance direct-drive handpiece. D.E. Hesmondhalgh, D. Tipping and M. Amrani p286
Modelling saturation of laminated salient-pole synchronous machines. M.A. Abdel-Halim and C.D. Manning p215

POWER CONVERSION

Bilateral DC to AC convertor using a high frequency link. S. Manias, P.D. Ziogas and G. Olivier p15
Self-excited induction generator/force-commutated rectifier system operating as a DC power supply. C.H. Watanabe and A.N. Barreto p255 e354
Three-phase inductor fed SMR convertor with high frequency isolation, high power density and improved power factor. S. Manias, A.R. Prasad and P.D. Ziogas p183

POWER ELECTRONICS

Bilateral DC to AC convertor using a high frequency link. S. Manias, P.D. Ziogas and G. Olivier p15
Harmonic distortion in PWM inverter output waveforms. P.D. Evans and P.R. Close p224
High performance DC motor drive using a PWM rectifier with power transistors. J. Rodriguez p9
High-performance slip-power recovery induction motor. K. Taniguchi, Y. Takeda and T. Hirasa p193
New approach to the design of thyristor and transistor switching circuits. K. Mikolajuk and W.S. Kropacz p61
New method of analysis and performance prediction for thyristor voltage-controlled *RL* loads. S.A. Hamed and B.J. Chalmers p339
Power electronics, control of the electromechanical energy conversion process and some applications. J.D. van Wyk, H.-Ch. Skudelny and A. Müller-Hellmann e175
Three-phase inductor fed SMR convertor with high frequency isolation, high power density and improved power factor. S. Manias, A.R. Prasad and P.D. Ziogas p183

POWER UTILISATION AND INDUSTRIAL APPLICATIONS

Comparative costs of energy losses in induction motors. D.F. Binns p177
The physics of fusion welding. Part 1: The electric arc in welding. J.F. Lancaster p233
The physics of fusion welding. Part 2: Mass transfer and heat flow. J.F. Lancaster p297

RAILWAY ELECTRIFICATION AND TRANSPORTATION

Docklands Light Railway. R.J. Kemp p127
Evolution of automatic devices in conjunction with signalling on the SNCF. R. Retiveau p159 e232
New German developments in the field of train detection. H. Uebel and A.C. Knight p167
New ticketing system for the London Underground. B. Cooper, D. Sherhod, P. Bradford, R. Linton, A. Humphrey and P. Clayton p119
Solid-state interlocking (SSI): an integrated electronic signalling system for mainline railways. A.H. Cribbens p148
Three-phase AC traction drives: design and service experience. J. Karvinen p135

RELUCTANCE MOTORS

Single-phase switched reluctance motors. C.C. Chan p53
Winding current in a switched reluctance motor. P.H. Chappell p277

SIMULATION

Computer-aided design of power transistor inverter snubber circuits. M.H. Pong and R.D. Jackson p69

STABILITY

Dynamic instability in permanent-magnet synchronous/stepping motors. I.E.D. Pickup and A.P. Russell p91
Influence of unbalanced magnetic pull on the radial stability of flexible-shaft induction machines. R. Belmans, A. Vandenput and W. Geysen p101
On the stability of a static slip energy recovery drive. V. Subrahmanyam and K. Surendran p364
Relating instability in synchronous motors to steady-state theory using the Hurwitz-Routh criterion. D.E. Hesmondhalgh and D. Tipping p79
The physics of fusion welding. Part 1: The electric arc in welding. J.F. Lancaster p233
The physics of fusion welding. Part 2: Mass transfer and heat flow. J.F. Lancaster p297

STEPPING MOTORS

Closed-loop control of steeping motors: prediction and realisation of optimum switching angle. P.P. Acarnley and P. Gibbons d192
Dynamic instability in permanent-magnet synchronous/stepping motors. I.E.D. Pickup and A.P. Russell p91
Normalised high-speed performance analysis of small hybrid stepping motors. D.W.J. Pulle and A. Hughes p333

SUPERCONDUCTIVITY

Electrical design of air-cored synchronous generators using superconducting field and armature windings. Y. Brunet, J.L. Sabrie and P. Tixador p47

SWITCHES AND SWITCHING THEORY

New approach to the design of thyristor and transistor switching circuits. K. Mikolajuk and W.S. Kropacz p61

SYNCHRONOUS GENERATORS

Electrical design of air-cored synchronous generators using superconducting field and armature windings. Y. Brunet, J.L. Sabrie and P. Tixador p47

SYNCHRONOUS MOTORS

Design and construction of a high-speed high-performance direct-drive handpiece. D.E. Hesmondhalgh, D. Tipping and M. Amrani p286
Dynamic instability in permanent-magnet synchronous/stepping motors. I.E.D. Pickup and A.P. Russell p91
Modelling saturation of laminated salient-pole synchronous machines. M.A. Abdel-Halim and C.D. Manning p215
Relating instability in synchronous motors to steady-state theory using the Hurwitz-Routh criterion. D.E. Hesmondhalgh and D. Tipping p79

SYSTEM PROTECTION

Introduction of chopper controlled trains on established DC railways. R.J. Kemp p141

THYRISTORS

New approach to the design of thyristor and transistor switching circuits. K. Mikolajuk and W.S. Kropacz p61
New method of analysis and performance prediction for thyristor voltage-controlled *RL* loads. S.A. Hamed and B.J. Chalmers p339

TORQUE

Improving the open-loop torque step response of induction motors. N.C. Enslin and F.S. van der Merwe p317

TRACTION

Docklands Light Railway. R.J. Kemp p127
Three-phase AC traction drives: design and service experience. J. Karvinen p135

TRANSISTORS

High performance DC motor drive using a PWM rectifier with power transistors. J. Rodriguez p9
New approach to the design of thyristor and transistor switching circuits. K. Mikolajuk and W.S. Kropacz p61